

# TRIAC S ACCESSORIES




## **Tubular nozzle $\varnothing$ 5 mm push-fit on TRIAC PID / TRIAC S**

100.303: Tubular nozzle  $\varnothing$  5 mm, push-fit



## **Sieve reflector 35 x 20 mm push-fit on TRIAC PID / TRIAC S**

107.338: Sieve reflector 35 x 20 mm, push-fit



## **Shell reflector 25 x 150 mm push-fit on Triac PID / Triac S and Diode PID / Diode S**

107.326: Shell reflector 25 x 150 mm, push-fit



## **Soldering reflector 17 x 34mm push-fit on TRIAC PID / TRIAC S**

107.339: Soldering reflector 17 x 34 mm, push-fit

## **High speed draw nozzle $\varnothing$ 3 mm / $\varnothing$ 4 mm**



113.666: High speed draw nozzle  $\varnothing$  3mm with tacking tip, screw on (without tacking tip on request)

113.399: High speed draw nozzle  $\varnothing$  4mm with tacking tip, screw on (without tacking tip on request)




## **High speed draw nozzle 90-5.7 mm / 7 mm**

113.670: High speed draw nozzle 90 - 5.7 mm with tacking tip, screw on (without tacking tip on request)


106.986: Draw nozzle 7 mm, screw on

**Tacking nozzle screw on Triac PID / Triac S, Diode PID / Diode S and Welding PEN R / Welding PEN S**



106.988: Tacking nozzle screw on

**Tublar nozzle Ø 5 mm, screw on TRIAC PID / TRIAC S, DIODE PID / DIODE S and WELDING PEN R / WELDING PEN S**



105.622: Tubular nozzle Ø 5 mm, screw on

**Welding mirror 135 mm push-fit on TRIAC PID / TRIAC S and DIODE PID / DIODE S**



107.344: Welding mirror 135 mm, push-fit

**Wide slot nozzle 40 mm, push-fit on TRIAC PID, TRIAC S**



107.132: Wide slot nozzle 40 mm, push-fit

**Wide slot nozzle ø 20 mm, push-fit on TRIAC PID, TRIAC S**




107.123: Wide slot nozzle 20 mm, push-fit

**Wide slot nozzle 40 mm, PTFE coated push-fit on TRIAC PID / TRIAC S, DIODE PID / DIODE S**



107.135: Wide slot nozzle 40 mm, PTFE coated push-fit

**Angled nozzle 20 mm, 90° push-fit on TRIAC PID / TRIAC S**



107.124: Angled nozzle 20 mm, 90°, push-fit

**Angled nozzle 20 mm, 60° push-fit on TRIAC PID / TRIAC S**



107.125: Angled nozzle 20 mm, 60°, push-fit

**Wide slot nozzle 60 mm push-fit on TRIAC PID / TRIAC S**



107.129: Wide slot nozzle 60 mm, push-fit

**Wide slot nozzle 40 mm, 60° bent push-fit on TRIAC PID / TRIAC S**



107.130: Wide slot nozzle 40 mm, 60° bent, push-fit



**Wide slot nozzle 80 mm push-fit on TRIAC PID / TRIAC S**

107.131: Wide slot nozzle 80 mm, push-fit



**Wide slot nozzle 40 mm, perforated push-fit on TRIAC PID / TRIAC S**

107.133: Wide slot nozzle 40 mm, perforated, push-fit



**Sieve reflector 50 x 35 mm push-fit on TRIAC PID / TRIAC S**

107.337: Sieve reflector 50 x 35 mm, push-fit



**Pressure roller 28 mm (PTFE)**

106.976: Pressure roller 28 mm (PTFE)



**Pressure roller 28 mm (silicon)**

106.977: Pressure roller 28 mm (silicon)



**One-arm pressure roller 40 mm, with ball bearings (silicon)**

106.975: One-arm pressure roller 40 mm, with ball bearings (silicon)



**Customs seal roller**

106.981: Customs seal roller



**Pressure roller with ball bearings (brass)**

106.972: Pressure roller with ball bearings (brass)



**Tacking nozzle push-fit on tubular nozzle ø 5 mm**

106.996: Tacking nozzle, push-fit on tubular nozzle Ø 5mm



**Speed welding nozzle 4.5 x 12mm for fillet seams**

107.139: Speed welding nozzle 4.5 x 12mm for fillet seams, push-fit on tubular nozzle ø 5mm



### Speed welding nozzle 5.7, 7 mm push-fit on tubular nozzle Ø 5 mm

- 106.992: Speed welding nozzle 5.7 mm, push-fit on tubular nozzle Ø 5 mm
- 106.993: Speed welding nozzle 7 mm, push-fit on tubular nozzle Ø 5 mm



### Speed welding nozzle for tape 8 mm push-fit on tubular nozzle Ø 5mm

- 107.137: Speed welding nozzle for tape 8 mm, push-fit on tubular nozzle Ø 5mm




### Speed welding nozzle with small air-slide, push-fit on Tubular nozzle Ø 5mm

- 105.431: Speed welding nozzle 3 mm, small air-slide, push-fit on tubular nozzle Ø 5 mm
- 105.432: Speed welding nozzle 4 mm, small air-slide, push-fit on tubular nozzle Ø 5mm
- 105.433: Speed welding nozzle 5 mm, small air-slide, push-fit on Tubular nozzle Ø 5 mm



### Speed welding nozzle 3, 4, 5 mm push-fit on tubular nozzle Ø 5 mm

- 106.989: Speed welding nozzle 3 mm, push-fit on tubular nozzle Ø 5 mm
- 106.990: Speed welding nozzle 4 mm push-fit, on tubular nozzle Ø 5 mm
- 106.991: Speed welding nozzle 5 mm, push-fit on tubular nozzle Ø 5 mm



### Sieve reflector 12 x 10 mm push-fit on tubular nozzle Ø 5mm

- 107.324: Sieve reflector 12 x 10 mm, push-fit on tubular nozzle Ø 5mm